



Dimension of Synchronous Belt T2.5



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T2.5×102.5	102.50	100	41
T2.5×120	120.00	100	48
T2.5×145	145.00	160	58
T2.5×150	150.00	160	60
T2.5×160	160.00	200	64
T2.5×165	165.00	200	66
T2.5×170	170.00	200	68
T2.5×177.5	177.50	100	71
T2.5×187.5	187.50	200	75
T2.5×200	200.00	100	80
T2.5×230	230.00	200	92
T2.5×245	245.00	100	98
T2.5×265	265.00	200	106
T2.5×285	285.00	100	114
T2.5×300	300.00	100	120
T2.5×317.5	317.50	450	127
T2.5×330	330.00	450	132
T2.5×335	335.00	100	134
T2.5×350	350.00	450	140
T2.5×380	380.00	450	152
T2.5×410	410.00	200	164
T2.5×420	420.00	450	168
T2.5×470	470.00	450	188
T2.5×480	480.00	450	192
T2.5×500	500.00	450	200
T2.5×540	540.00	450	216
T2.5×620	620.00	160	248
T2.5×635	635.00	450	254
T2.5×690	690.00	450	276

WWW.BELT.CO.IR

Dimension of Synchronous Belt T 5



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T5×115	115.00	50	23
T5×150	150.00	60	30
T5×165	165.00	60	33
T5×185	185.00	60	37
T5×190	190.00	200	38
T5×200	200.00	80	40
T5×210	210.00	200	42
T5×215	215.00	100	43
T5×220	220.00	200	44
T5×225	225.00	200	45
T5×240	240.00	200	48
T5×250	250.00	60	50
T5×255	255.00	200	51
T5×260	260.00	200	52
T5×270	270.00	450	54
T5×275	275.00	450	55
T5×280	280.00	450	56
T5×295	295.00	450	59
T5×300	300.00	450	60
T5×305	305.00	450	61
T5×310	310.00	450	62
T5×325	325.00	450	65
T5×330	330.00	450	66
T5×340	340.00	450	68
T5×350	350.00	450	70
T5×355	355.00	450	71
T5×365	365.00	450	73
T5×375	375.00	200	75
T5×390	390.00	450	78

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
5×475	475.00	450	95
5×480	480.00	450	96
5×500	500.00	200	100
5×505	505.00	450	101
5×510	510.00	160	102
5×525	525.00	200	105
5×540	540.00	450	108
5×545	545.00	160	109
5×550	550.00	450	110
5×560	560.00	450	112
5×570	570.00	450	114
5×575	575.00	160	115
5×590	590.00		
5×600	600.00	160	120
5×610	610.00	160	122
5×620	620.00	200	124
5×630	630.00	160	126
5×635	635.00	450	127
5×650	650.00	450	130
5×665	665.00	450	133
5×675	675.00	160	135
5×685	685.00	160	137
5×690	690.00	120	138
5×700	700.00	160	140
5×710	710.00	450	142
5×720	720.00	100	144
5×725	725.00	450	145
5×740	740.00	200	148
5×750	750.00	220	150


WWW.BELT.CO.IR

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T5×815	815.00	450	163
T5×840	840.00	450	168
T5×850	850.00	450	170
T5×860	860.00	160	172
T5×885	885.00	450	177
T5×900	900.00	200	180
T5×910	910.00	450	182
T5×940	940.00	200	188
T5×990	990.00	150	198
T5×995	995.00	450	199
T5×1000	1000.00	200	200
T5×1020	1020.00	450	204
T5×1030	1030.00	450	206
T5×1045	1045.00	450	209
T5×1050	1050.00	200	210
T5×1060	1060.00	450	212
T5×1075	1075.00	150	215
T5×1100	1100.00	200	220
T5×1120	1120.00	450	224
T5×1140	1140.00	450	228
T5×1200	1200.00	450	240
T5×1215	1215.00	160	243
T5×1260	1260.00	450	252
T5×1270	1270.00	450	254
T5×1300	1300.00	450	260
T5×1380	1380.00	440	276
T5×1390	1390.00	450	278
T5×1415	1415.00	450	283
T5×1520	1520.00	450	304
T5×1630	1630.00	450	326
T5×1740	1740.00	450	348
T5×1760	176.00	450	352
T5×1800	1800.00	200	360
T5×1880	1880.00	450	376
T5×1900	1900.00	450	380
T5×1940	1940.00	450	388
T5×1960	1960.00	200	392
T5×2120	2120.00	450	424
T5×2220	2220.00	250	444

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
5×3290	3290.00	450	658
5×3540	3540.00	450	708
5×3750	3750.00	450	750
5×4075	4075.00	450	815
5×3290	3290.00	450	658
5×3540	3540.00	450	708
5×3750	3750.00	450	750
5×4075	4075.00	450	815

WWW.BELTCO.IR

Dimension of Synchronous Belt T10



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T10×260	260.00	160	26
T10×320	320.00	200	32
T10×340	340.00	200	34
T10×370	370.00	450	37
T10×400	400.00	450	40
T10×410	410.00	450	41
T10×440	440.00	450	44
T10×450	450.00	450	45
T10×460	460.00	450	46
T10×480	480.00	450	48
T10×500	500.00	450	50
T10×530	530.00	450	53
T10×540	540.00	140	54
T10×550	550.00	450	55
T10×560	560.00	450	56
T10×580	580.00	450	58
T10×600	600.00	450	60
T10×610	610.00	160	61
T10×630	630.00	450	63
T10×650	650.00	450	65
T10×660	660.00	450	66
T10 x 690	690.00	450	69
T10×700	700.00	160	70
T10×720	720.00	450	72
T10×730	730.00	200	73
T10×750	750.00	160	75
T10×770	770.00	200	77
T10×780	780.00	450	78

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T10×890	890.00	160	89
T10×900	900.00	450	90
T10×910	910.00	450	91
T10×920	920.00	450	92
T10×950	950.00	190	95
T10×960	960.00	150	96
T10×970	970.00	200	97
T10×980	980.00	200	98
T10×1000	1000.00	450	100
T10×1010	1010.00	200	101
T10 x 1030	1030.00	450	103
T10×1040	1040.00	450	104
T10×1050	1050.00	200	105
T10×1080	1080.00	200	108
T10×1100	1100.00	200	110
T10×1110	1110.00	450	111
T10×1140	1140.00	200	114
T10×1150	1150.00	200	115
T10×1200	1200.00	200	120
T10×1210	1210.00	450	121
T10×1240	1240.00	450	124
T10×1250	1250.00	450	125
T10×1260	1260.00	200	126
T10×1280	1280.00	200	128
T10×1300	1300.00	200	130
T10×1320	1320.00	450	132
T10×1350	1350.00	450	135
T10×1390	1390.00	200	139


WWW.BELT.CO.IR

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T10×1480	1480.00	250	148
T10×1500	1500.00	450	150
T10×1520	1520.00	200	152
T10×1560	1560.00	200	156
T10×1600	1600.00	200	160
T10×1610	1610.00	200	161
T10×1640	1640.00	180	164
T10×1690	1690.00	250	169
T10×1700	1700.00	200	170
T10×1750	1750.00	450	175
T10×1780	1780.00	200	178
T10×1800	1800.00	200	180
T10×1860	1860.00	250	186
T10×1880	1880.00	180	188
T10×1960	1960.00	450	196
T10×1980	1980.00	450	198
T10×2020	2020.00	450	202
T10×2080	2080.00	200	208
T10×2090	2090.00	200	209
T10×2100	2100.00	200	210
T10×2200	2200.00	200	220
T10×2250	2250.00	200	225
T10×2270	2270.00	200	227
T10×2300	2300.00	200	230
T10×2340	2340.00	450	234
T10×2360	2360.00	200	236
T10×2380	2380.00	200	238
T10×2430	2430.00	450	243
T10×2480	2480.00	450	248
T10×2500	2500.00	200	250
T10×2540	2540.00	450	254
T10×2590	2590.00	200	259
T10×2600	2600.00	450	260
T10×2700	2700.00	450	270
T10×2610	2610.00	250	261
T10×2650	2650.00	150	265
T10×2800	2800.00	450	280
T10×2880	2880.00	250	288
T10×3000	3000.00	250	300

Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T10×3340	3340.00	450	334
T10×3500	3500.00	250	350
T10×3600	3600.00	250	360
T10×3680	3680.00	250	368
T10×3870	3870.00	250	387
T10×4040	4040.00	250	404
T10×4280	4280.00	450	428
T10×4680	4680.00	250	468
T10×5060	5060.00	250	506
T10×5360	5360.00	250	536
T10×5670	5670.00	250	567
T10×6000	6000.00	450	600
T10×6290	6290.00	250	629
T10×7000	7000.00	250	700
T10×7050	7050.00	250	705

WWW.BELTCO.IR


Dimension of Synchronous Belt T20



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
T20×1180	1180.00	250	59
T20×1220	1220.00	250	61
T20×1240	1240.00	190	62
T20×1260	1260.00	250	63
T20×1280	1280.00	190	64
T20×1460	1460.00	250	73
T20×1680	1680.00	250	84
T20×1700	1700.00	240	85
T20×1780	1780.00	280	89
T20×1880	1880.00	240	94
T20×2040	2040.00	240	102
T20×2200	2200.00	240	110
T20×2240	2240.00	240	112
T20×2600	2600.00	240	130
T20×2720	2720.00	240	136
T20×2740	2740.00	220	137
T20×2760	2760.00	200	138
T20×3100	3100.00	450	155
T20×3620	3620.00	240	181
T20×4760	4760.00	240	238
T20×5000	5000.00	200	250

WWW.BELT.CO.IR


Dimension of Synchronous Belt AT5



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
AT5×225	225.00		45
AT5×255	255.00		51
AT5×280	280.00		56
AT5×300	300.00	450	60
AT5×305	305.00	450	61
AT5×340	340.00	450	68
AT5×375	375.00		65
AT5×390	390.00	160	78
AT5×420	420.00	450	84
AT5 x 545	545.00	450	109
AT5×455	455.00	450	91
AT5×500	500.00		100
AT5×545	545.00		109
AT5×600	600.00	200	120
AT5×610	610.00		122
AT5×630	630.00	450	126
AT5×660	660.00	450	132
AT5 x690	690.00	420	138
AT5×710	710.00		142
AT5×750	750.00	450	150
AT5×780	780.00		156
AT5×825	825.00		165
AT5×975	975.00	450	195
AT5×1050	1050.00		210
AT5×1125	1125.00	200	225
AT5×1520	1520.00	440	304


WWW.BELTCO.IR

Dimension of Synchronous Belt AT10



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
AT10×500	500.00	450	50
AT10×560	560.00	450	56
AT10×580	580.00	450	58
AT10×660	660.00	450	66
AT10×730	730.00	450	73
AT10×840	840.00	450	84
AT10×920	920.00	450	92
AT10×960	960.00	200	96
AT10×1010	1010.00	200	101
AT10×1150	1150.00	450	115
AT10×1210	1210.00	200	121
AT10×1240	1240.00	450	124
AT10×1250	1250.00	450	125
AT10×1280	1280.00	200	128
AT10×1320	1320.00	450	132
AT10×1500	1500.00	450	150
AT10X161	1610.00	450	161
AT10×1800	1800.00	250	180
AT10×1940	1940.00	450	194
AT10×2000	2000.00	250	200
AT10x225	2250.00	450	225
AT10×2590	2590.00	450	259
AT10×2880	2880.00	450	288
AT10×3080	3080.00	450	308
AT10×3150	3150.00	250	315
AT10×3340	3340.00	450	334
AT10×4030	4030.00	370	403

Dimension of Synchronous Belt AT20



Type	Pitch Length (mm)	Sleeve Width (mm)	Teeth No.
AT20×1000	1000.00	450	50
AT20×1080	1080.00		54
AT20×1100	1100.00	450	55
AT20×1240	1240.00		62
AT20×1280	1280.00		64
AT20×1320	1320.00		66
AT20×1460	1460.00		73
AT20×1700	1700.00	250	85
AT20×1780	1780.00		89
AT20×1880	1880.00		94
AT20×1900	1900.00	250	95
AT20×2360	2360.00	250	118
AT20×2600	2600.00		130
AT20×2760	2760.00		138
AT20×3100	3100.00		155
AT20×3620	3620.00		181
AT20×4760	4760.00		238
AT20×7600	7600.00		380

WWW.BELTCO.IR